

Product Code	Available Sizes	Approvals/Specifications *MilitaryとCommercialの最新Revisionは、Certに記載されています。
COR-BAN / CIC's CORROSION INHIBITING COMPOUNDS		
COR-BAN 22	AEROSOL 12OZ 1GAL 5GAL 55GAL	• BMS 3-23
COR-BAN 23 ENHANCED DYE	AEROSOL 12OZ 5GAL	• AIMS 09-08-001 Type I Grade 3 • BAMS 565-006 Type V • BMS 3-23J Type II Class 2 Grade A & B (QPL) • BMS 3-35
COR-BAN 23 DYED	AEROSOL 1QT 1GAL 5GAL 55GAL	• AIMS 09-08-001 Type I Grade 3 • BAMS 565-006 Type V (QPL) • BMS 3-23K Type II Class 2 Grade A & B (QPL) • BMS 3-35 • DHMS C4.12 Type II Grade 3 & 4 (QPL)
COR-BAN 23 UNDYED	AEROSOL 1GAL 5GAL 55GAL	• Cessna CSNP038 Type IVB Class 2 (QPL)
COR-BAN 27L	5OZ 6OZ SEMCO 14OZ CARTRIDGE 1PINT 1QT 1GAL 5GAL 55GAL	• Airbus CML 05-133 • BMS 3-38B • CSNP038 Type X • DPM 6498 • Embraer E9447580 • GMS 4109 Rev C • HMS 20-1267/2372 • LGQP 5010E Type V • MEP-QPL-09-075
COR-BAN 35	AEROSOL 1QT 1GAL BRUSH IN CAP 8OZ 5GAL 55GAL	• AIMS 09-08-002 Type II Gr 2 (Meets requirements) • AIMS 09-08-003 (On Airbus CML) • ATR 42/ATR 72 SRM • BAE: AVP 2-022 • BMS 3-23F Type II (Meets requirements) • BMS 3-29 (Meets requirements) • BMS 3-35B (On Boeing QPL) • Boeing DMS 2150 • Bombardier BAMS 565-006 Type I & Type II • Cessna CSNP038 Type IVA / Class 2 • Dassault DGQT 1.7.0.0103 • de Havilland DHMS C 4.12 • Embraer 51-61-00 Type I & Type II • FedEx A30-51-001 • Gulfstream GAC115AD (Meets requirements) • MEP 10-063 • Mil-DTL-85054D (QPL)
COR-BAN 35 UNDYED	AEROSOL 1QT 1GAL 5GAL 55GAL	• CSNP038 Type IV B Class 2 (QPL) • MIL-DTL-85054D (QPL)
COR-BAN 50	AEROSOL 1GAL 5GAL 55GAL	• MIL-PRF-16173, Grade 4 (Meets or Exceeds)
D-5010NS	AEROSOL	• MIL-C-23411 (Meets requirements) • A-A-50493 (Meets requirements) • Solar Turbines Specification ES9-249 (turbomachinery preservation)
ZC-010 Bulk	1QT 1GAL 5GAL 55GAL	• MIL-C-23411 (Meets requirements) • A-A-50493 (Meets requirements) • Solar Turbines Specification ES9-249 (Turbomachinery preservation)
D-5015NS/ with CO ₂	AEROSOL	• Lockheed EMAP G39.032 • Mil-PRF-81309H Type III Class 2 Grade B: CO2 • Sikorsky SS8536
ZC-015 Bulk	1GAL 5GAL 55GAL	• Mil-PRF-81309H Type III Class 1 (QPL) • Sikorsky SS 8536 Type 1 (QPL)
D-5026NS/ CO ₂	AEROSOL	• Boeing Alert Service Bulletin 737-24A1148 (Called out as CIC for connectors), AD 2002-16-03 (Called out) • DPM-5707-1 (QPD) • Embraer E6125209 (QPD) • Sikorsky SS 8536 Type 1 (QPD) • MIL-PRF-81309H Type II & III, Class 2, Grade CO2 (QPD)
ZC-026 Bulk	1GAL 5GAL 55GAL	• Boeing Service Bulletin 737-24A 1148 (QPL), AD 2002-16-03 (QPL) • DPM-5707-1 (QPL) • Embraer E6125209 (QPL) • MIL-PRF-81309H Type II & III, Class 1 (QPL) • Sikorsky SS 8536 Type 1 (QPL)
ZC-026-UV Bulk	1QT 1GAL 5GAL 55GAL	• Mil-PRF-81309H Type II & III Class 1 (Meets requirements)
ZC-026UV Diluted	5GAL	
ZC-026 HIGH TEMP	5GAL	

Product Code	Available Sizes	Approvals/Specifications	
		*MilitaryとCommercialの最新Revisionは、Certに記載されています。	
ZC-026-2XUV Bulk	1PT 5GAL		
D-5029NS	AEROSOL	• BMS 3-29	• DMS 2150 Type 1 & Type 2
ZC-029 Bulk	1GAL 5GAL 55GAL	• BMS 3-29 • DMS 2150 Type 1 & Type 2	
D-5030NS	AEROSOL		
D-5035NS	AEROSOL	Boeing QPL for DPM 5217	
D-5067NS	AEROSOL	• MD-10-10 • QPL 20-60-04-2	
ZC-067 Bulk	1GAL 5GAL 55GAL	• MD-10-10 • QPL 20-60-04-2	
D-5082NS	AEROSOL	• OIL 4501-11SC	
ZC-082 Bulk	1GAL 5GAL 55GAL	• OIL 4501-11SC	
NOXIT 86	AEROSOL 1GAL 5GAL 55GAL	• Class 2, Grade 134A • NSN: 8030-01-524-0114 • QPL for Mil-PRF-81309H Type II & III	
AERO-LUBE-LUBRICANTS AND LUBRICATING COMPOUNDS			
D-5100NS	AEROSOL	• VV-D-1078	
D-5261NS	AEROSOL	• MIL-PRF-7870D	
ZC-5261 Bulk	1GAL 5GAL	• MIL-PRF-7870D • UAL OIL 4501-10SC	
D-5263NS	AEROSOL	• ASTM F 945 • Boeing DPM 5481-1 (called out) • LUB 4500-35C	• Mil-PRF-32033 Nato Code O-190 (Oil used in D-5263NS) • UAL OIL 4501-125C (called out)
ZC-5263 Bulk	1GAL 5GAL 55GAL	• ASTM F 945 • Boeing DPM 5481-1 (Called out) • LUB 4500-35C	• Mil-PRF-32033 NATO code O-190 • UAL OIL-4501-125C (Called out)
D-5440NS	AEROSOL	• DMS 1762, Type 7E • DPM 3494 - Release Agent	• UAL LUB 4500-1750 • SCE 898-13117
ZC-440 Bulk	1QT 1GAL 5GAL 55GAL		
D-5460NS	AEROSOL	• GE/DFO: A50 TF192 Class C-6, 192-58	• UAL#: LUB-4500-12SC
ZC-460	1GAL	• GE/DFO: A50 TF192 Class C-6, 192-58	• UAL#: LUB-4500-12SC
D-5480NS	AEROSOL	• ASTM F945	• LUB 4500-35C
ZC-480	1GAL 5GAL	• ASTM F945 • LUB 4500-35C	
FORMITS - EXTENSION WANDS			
Formit-18-Fan	KIT		
Formit-18-360	KIT		
Formit-18-180	KIT		
Formit-29-360 w/Metal Sleeve	KIT		
Formit-36-360	KIT		
Formit-48-360 w/Metal Sleeve	KIT		
Formit-48-360 w/o metal sleeve	KIT		
Formit-48-Fan	KIT		
Formit-18-Fog-Std	KIT		
Formit-18-90-Fog	KIT		
Formit-18-Scupper-90	KIT		
Formit-72-Fan w/o Metal Sleeve	KIT		
SUR-PREP - SURFACE PREPS & AVIONICS CLEANERS			
Sur Prep AR-58	AEROSOL		
Sur Prep AR-58 Towelette	Towelette		
Sur Prep AR-58 Bulk	1QT 1GAL 5GAL		

Product Code	Available Sizes	Approvals/Specifications *MilitaryとCommercialの最新Revisionは、Certに記載されています。
Sur Prep 123	AEROSOL	• NASA/TP-2015-218207 • T.O. 15X-1-1 (Called out)
Sur Prep 123 Bulk	10LBS	• NASA/TP-2015-218207 • T.O. 15X-1-1 (Called out)
Sur Prep 608	AEROSOL	• MIL-PRF-29608 Ty I Class C (avionic cleaners)
Sur Prep SB642	AEROSOL PUMP SPRAY 1GAL 5GAL 55GAL	• Airbus AIMS 09-00-002 • Boeing D6-17487 • AMS 1526C • AMS 1550B • AMS 1650C (except viscosity) • Boeing CSD No. 1
Sur Prep 3150	AEROSOL 1GAL 5GAL 55GAL	• MIL-PRF-680 Ty I (Meets requirements)
Sur Prep 3160	AEROSOL 1GAL 5GAL 55GAL CANISTER TOWELETTE INDIVIDUAL TOWELETTE	• MIL-PRF-680 Ty II • AMS 3160 • Bombardier CPM PSM 1-84-18-08-10 (TASK) • A-A-2904
Sur Prep 3167	AEROSOL 1GAL 5GAL 55GAL	• Airbus AIMS 09-03-000 • Boeing D6-17487
Sur Prep 3170	AEROSOL 1GAL 5GAL 55GAL	
Sur Prep 5606	AEROSOL	• Mil-PRF-5606 QPL
Sur Prep 5606 WIPE	8"x9" 13"x13"	• AMS 3819 • On Mil-PRF-5606 QPL
Sur Prep 5672	AEROSOL 1GAL 5GAL 55GAL	
Sur Prep 5673	AEROSOL 1GAL 5GAL 55GAL	• Meets requirements of Boeing D6-17487 (Solvent cleaners)
Sur Prep 5677	AEROSOL 1GAL 5GAL 55GAL	• Airbus AIMS 09-00-002 • AMS 3167 • Boeing D6-17487 • CSD No. 1
Sur Prep AP-1	AEROSOL AEROSOL 4OZ 1PINT 1GAL	• BAC 5308 Application of Stencil and Insignia Markings (Called out) • Boeing D6-1816 Process Document for Decorative Finishing of Airplane Exteriors (Called out) • Boeing BMS 10-127 QPL (Chemical Reactivator for Paint Applications)
Sur Prep 5602 Freeze Spray	AEROSOL	• A-A-58060 • Air Standard 700-83 • DPM 6372 • UAL GAS 3001-SC (Called out)
Sur Prep 5604 Vapo Duster	AEROSOL	• Boeing DPM 5148
D-2046	AEROSOL	
D-5600NS	AEROSOL	• Boeing BAC 5504 • Boeing BAC 5000 • Boeing BAC 5750
ZC-600 Bulk	1GAL 5GAL 55GAL	• Boeing BAC 5000 • Boeing BAC 5504 • Boeing BAC 5750
D-5615NS	AEROSOL	• Boeing CSD #1 for General Purpose Cleaning • Boeing D6-17487 for Exterior and General Cleaners • GE SPM PCR 83-44 (70-21-23) • Pratt & Whitney Commercial Standard Practices Manual SPO 208: PMC 8929 • Rolls Royce CSS No. 255
ZC-615 Bulk	1GAL 5GAL	• Boeing D6-17487 for exterior and general cleaners • Boeing CSD #1 for general purpose cleaning • GE SPM PCR 83-44 (70-21-23) • Pratt & Whitney Commercial Standard Practices Manual SPO 208: PMC 8929 • Rolls Royce CSS No. 255
D-5616NS	AEROSOL	• AMS 1526B • ARP 1755B Aircraft engine cleaning • Boeing D-1 7487, Rev J general purpose cleaner
ZC-616 Bulk	55GAL	• AMS 1526B • ARP 1755B Aircraft engine cleaning • Boeing D- 1 7487, Rev J general purpose cleaner

Product Code	Available Sizes	Approvals/Specifications	
		*MilitaryとCommercialの最新Revisionは、Certに記載されています。	
D-5633NS	AEROSOL	• ARP 1755 B (Attar-C™) • CSD Number 1 (Attar-C™)	• Boeing D6-17487 (Attar-C™)
D-5640NS	AEROSOL	• Boeing CSD #1	• Boeing D6-17487 Rev. L
ZC-640 Bulk	1GAL 5GAL 55GAL	• Boeing CSD #1 • Boeing D6-17487 Rev. L	
D-5665NS	AEROSOL	• Boeing BAC 5402 • Boeing BAC 5750	• MIL-STD-1330D
ZC-665	5GAL 55GAL	• Boeing BAC 5402 • Boeing BAC 5750	• MIL-STD-1330D
D-5671NS	AEROSOL	• Cadmium Removal Test (ASTM F483) (Meets test method requirements) • Flash Point (ASTM D56) (Meets test method requirements) • Hydrogen Embrittlement (ASTM F519-1c) (Meets test method requirements) • Hydrogen Embrittlement (ASTM F519-77) (Meets test method requirements) • Immersion Corrosion Test (ASTM F483) (Meets test method requirements)	• Low Embrittling Cd Plate (ASTM F111) (Meets test method requirements) • Paint Softening Test (ASTM F502) (Meets test method requirements) • Residue Test (ASTM F485) (Meets test method requirements) • Sandwich Corrosion Test (ASTM F1110) (Meets test method requirements)
ZC-671	5GAL		
D-5695NS	AEROSOL		
ZC-695	1GAL 5GAL 55GAL		
D-5699NS	AEROSOL		
ZC-4079 Bulk	1GAL 5GAL 55GAL		
AERO-LUBE GREASES			
D-5907NS	AEROSOL	• Boeing QPL DPM 326-1	• Grease used in D-5907NS, Aeroshell® 7, conforms to GRE-4500-35C and Mil-G-23827
D-5920NS	AEROSOL	• AGE3020-SC	
ZC-920 Bulk	2LBS 1GAL 5GAL		
D-5922NS	AEROSOL	• DOD-G-24508 (Navy-Shipboard Auxiliary machinery (Limited usage on submarines)	• Mil-G-81322 F (General Purpose Aircraft Grease)
D-5933NS	AEROSOL	• Boeing QPL for BMS 3-33C Type 2	• MIL-PRF-23827C Ty 1 (Aeroshell® 33 grease)
CALLA AIRCRAFT CLEANERS - AERO CLEAN			
ODOR FRESH	PUMP SPRAY 12OZ 1GAL 5GAL DRUM	• AMS 1550B • Boeing CSD#1 • Boeing D6-17487	
AeroDis 7127	16OZ SPRAY 23OZ SPRAY 1GAL 5GAL TOWELETTE	• AMS 1550 (Meets requirements) • AMS 1452 (Meets requirements) • Boeing D6-7127 (Meets requirements)	
X-200	8OZ BOTTLE 1GAL 5GAL DRUM	• AMS 1630A (Does not affect flame retardant according to testing done with that spec) • Boeing CSD-1 • Boeing D6-17487	
X-395	1GAL DRUM		
X-400	1GAL 5GAL DRUM	• AMS 1526 (Meets requirements) • AMS 1530 (Meets requirements) • Boeing CSD No. 1 (Meets requirements)	• Boeing D6-17487 (Meets requirements) • Mil-C-87936 (Meets requirements)
X-405	PUMP SPRAY 12OZ 1GAL 5GAL DRUM TOWELETTE	• Airbus AMS 1534 Type I • Boeing D6-17487 • Boeing CSD#1	

Product Code	Available Sizes	Approvals/Specifications *MilitaryとCommercialの最新Revisionは、Certに記載されています。
X-410Q	PUMP SPRAY 12OZ PUMP SPRAY 24OZ 1GAL 5GAL DRUM 330GAL TOTE	<ul style="list-style-type: none"> • Airbus AMS 1550B • Boeing D6-17487 • Boeing CSD No. 1
X-500	1GAL 5GAL DRUM	<ul style="list-style-type: none"> • AMS-1540A (Meets requirements)
X-450	1GAL 5GAL DRUM	<ul style="list-style-type: none"> • AMS 1631 (Meets requirements)
AN-300D	1GAL 5GAL DRUM 330GAL TOTE	<ul style="list-style-type: none"> • AMS 1476A (Meets requirements)
AN-2001P	1GAL 5GAL DRUM	<ul style="list-style-type: none"> • AMS 1650B Type 1 & 2 (Meets requirements) • Boeing CSD #1 (Meets requirements) • Boeing D6-17487 (Meets requirements)
CALLA SOLVE 120	SPRAYER 24OZ 1GAL 5GAL DRUM 330GAL TOTE TANKER	<ul style="list-style-type: none"> • DPM 5278-1 • Mil-PRF-87937 Type 1 (listed as a qualified product)
CALLA 602LF	1GAL 5GAL DRUM 330GAL TOTE	<ul style="list-style-type: none"> • Mil-C-29602 except section 3.7 (pH)
CALLA 602LF Indicator Kit	Kit	
CALLA 602LF Defoamer	1GAL	
CALLA 296	1GAL 5GAL DRUM 330GAL TOTE	
Defoaming Booster II (for Calla 296 only)	1GAL	
CALLA 301 A LEMON (32oz RTU DILUTED)	32oz RTU 1GAL 5GAL DRUM 330GAL TOTE	<ul style="list-style-type: none"> • AMS 1526-A • AMS 1550-A • Boeing CSD-1
CALLA301 A DFE (22oz SPRAY RTU DILUTED)	22oz SPRAY RTU 1GAL 5GAL DRUM 330GAL TOTE	<ul style="list-style-type: none"> AMS 1526C • AMS 1550B • Boeing CSD-1 • Boeing D6-17487
CALLA 301A RED MADE IN SINGAPORE ONLY III	1GAL 5GAL DRUM	
CALLA 500 Domestic	1GAL 5GAL DRUM 330GAL TOTE TANK	<ul style="list-style-type: none"> • Mil-C-25769G • AMS-1526-B • D6-17487 • CSD-1
CALLA 500 Overseas	1GAL 5GAL DRUM 330GAL TOTE TANK	
CALLA 800 Commercial	1GAL 5GAL DRUM 330GAL TOTE TANK	<ul style="list-style-type: none"> • Mil-C-87936 Type I • MIL-PRF-87937 Type II



Product Code	Available Sizes	Approvals/Specifications *MilitaryとCommercialの最新Revisionは、Certに記載されています。
CALLA 800 Military	1GAL 5GAL DRUM 330GAL TOTE TANK	• Mil-PRF-87937D Type II (On QPL for this specification under QPL-87937-10)
CALLA 804	SPRAYER 24OZ AEROSOL 1GAL 5GAL DRUM 330GAL TOTE	• Mil-PRF-87937D Type IV
CALLA 805	1GAL 5GAL DRUM 330GAL TOTE TANK	• AMS 1533 • Boeing CSD No. 1
CALLA 855	1GAL 5GAL DRUM	• Mil-PRF-85570
CALLA 1452	1GAL 5GAL Starter Kit 10ml Cartridge	<ul style="list-style-type: none"> • AMS 1452 (Disinfectant Aircraft, General Purpose) (Meets requirements) • AMS 1453 (Disinfectant Cleaner For Aircraft Interior) (Meets requirements), • AMS 1530B (Wipe-Off Cleaner) (Meets requirements) • 1550B (Cleaner for Interior) (Meets requirements) • Boeing D6-7127 (Meets requirements) • Boeing D6-17487 (Meets requirements) • NAVAIR: 01-1A-509-2
CALLA 8050	1GAL 5GAL DRUM 330GAL TOTE TANK	• AMS 1533 • Boeing CSD No. 1
CALLA TR-521	AEROSOL 5GAL DRUM 330GAL TOTE	
JET-BRITE 550	1POUND 5GAL DRUM	• AMS 1650B Type 2 paste • Boeing CSD#1 • Boeing D6-17487 Rev L
ZIP STRIP 125	AEROSOL SPRAYER 1GAL 5GAL DRUM 275GAL TOTE	
ZIP STRIP 125M	AEROSOL 1GAL 5GAL 55GAL	• Airbus AIMS 09-00-002 • Boeing D6-17487
Accu-Cool 342	1GAL 5GAL 55GAL 330GAL	• Boeing BMS 3-42 (QPL)
Accu-Cool HTF-350	5L 10L 20L	• Airbus AIMS 09-11-002
MISC - SIL-3000-37, AP280		
ZC-Sil-3000-37-1	6oz	
AP-280	1oz 5oz	•DPM 5979 (QPL)
wet film thickness gauge	EA	